

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA92938-4R	FA92938-5	FA92938-6	FA92938-7	FA92938-8	FA92938-9
Sample Date (YYYYMMDD)	20220131	20220131	20220131	20220131	20220131	20220131
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
8:2FTS	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
NEtFOSA	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
NMeFOSAA	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
PFBS	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFDoA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFHpA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFHxS	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFHxA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFNA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFOS	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFOA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFTeDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFTTrDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFUnA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA92938-10	FA92938-11	FA92938-12	FA92938-18	FA92938-19	FA92938-20
Sample Date (YYYYMMDD)	20220131	20220131	20220131	20220131	20220131	20220131
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
8:2FTS	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
NEtFOSA	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
NMeFOSAA	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
PFBS	≤ 2.1 U	≤ 2.1 U	15.7	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFDoA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFHpA	≤ 2.1 U	≤ 2.1 U	12.4	≤ 2.1 U	2.2 J	≤ 2.1 U
PFHxS	≤ 2.1 U	≤ 2.1 U	72.3	≤ 2.1 U	6.7 J	≤ 2.1 U
PFHxA	≤ 2.1 U	≤ 2.1 U	64.8	≤ 2.1 U	14.1	≤ 2.1 U
PFNA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFOS	≤ 2.1 U	≤ 2.1 U	23.6	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFOA	≤ 2.1 U	≤ 2.1 U	19.9	≤ 2.1 U	3.3 J	≤ 2.1 U
PFTeDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFTTrDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFUnA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA92938-21	FA92938-22	FA92933-4	FA92933-5	FA92938-16	FA92938-17
Sample Date (YYYYMMDD)	20220131	20220131	20220201	20220201	20220201	20220201
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
8:2FTS	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
NEtFOSA	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
NMeFOSAA	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
PFBS	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFDoA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFHpA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFHxS	≤ 2.1 U	≤ 2.1 U	2.5 J	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFHxA	≤ 2.1 U	≤ 2.1 U	14.1	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFNA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFOS	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFOA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFTeDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFTTrDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFUnA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA92933-17	FA92933-27	FA92933-28	FA92933-29	FA92933-18	FA92933-19
Sample Date (YYYYMMDD)	20220201	20220201	20220201	20220201	20220201	20220201
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
8:2FTS	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
NEtFOSA	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
NMeFOSAA	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
PFBS	3.2 J	5.9 J	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFDoA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFHpA	7.1 J	13.3	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFHxS	14.8	30.8	≤ 2.1 U	≤ 2.1 U	2.6 J	≤ 2.1 U
PFHxA	40.8	73	≤ 2.1 U	≤ 2.1 U	14.5	≤ 2.1 U
PFNA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFOS	3.3 J	5.5 J	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFOA	7.2 J	13.6	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFTeDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFTTrDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFUnA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA92933-6	FA92933-20	FA92933-21	FA92933-22	FA92933-7	FA92933-8
Sample Date (YYYYMMDD)	20220201	20220201	20220201	20220201	20220201	20220201
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
8:2FTS	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
NEtFOSA	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
NMeFOSAA	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
PFBS	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFDoA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFHpA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFHxS	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFHxA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	5.1 J	≤ 2.1 U
PFNA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFOS	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFOA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFTeDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFTTrDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFUnA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA92933-9	FA92933-10	FA92933-23	FA92933-24	FA92938-26	FA92938-27
Sample Date (YYYYMMDD)	20220201	20220201	20220201	20220201	20220201	20220201
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
8:2FTS	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
NEtFOSA	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
NMeFOSAA	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
PFBS	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFDoA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFHpA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFHxS	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFHxA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFNA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFOS	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFOA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFTeDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFTTrDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFUnA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA92933-11	FA92933-12	FA92938-23	FA92938-24	FA92932-4	FA92932-5
Sample Date (YYYYMMDD)	20220201	20220201	20220201	20220201	20220202	20220202
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4 U	7.5 J
8:2FTS	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4 U	≤ 4 U
NEtFOSA	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4 U	≤ 4 U
NMeFOSAA	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4 U	≤ 4 U
PFBS	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2 U	5.8 J
PFDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2 U	≤ 2 U
PFDoA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2 U	≤ 2 U
PFHpA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2 U	15.7
PFHxS	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	3.1 J	39.9
PFHxA	2.7 J	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	5.6 J	76.1
PFNA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2 U	≤ 2 U
PFOS	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	2.2 J	8.9
PFOA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2 U	17.2
PFTeDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2 U	≤ 2 U
PFTTrDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2 U	≤ 2 U
PFUnA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2 U	≤ 2 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA92932-6	FA92932-17	FA92932-18	FA92932-19	FA92932-20	FA92932-7
Sample Date (YYYYMMDD)	20220202	20220202	20220202	20220202	20220202	20220202
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U
8:2FTS	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U
NEtFOSA	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U
NMeFOSAA	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U
PFBS	≤ 2 U	≤ 2 U	≤ 2 U	2.2 J	≤ 2 U	≤ 2 U
PFDA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFDoA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFHpA	≤ 2 U	≤ 2 U	≤ 2 U	3.9 J	≤ 2 U	≤ 2 U
PFHxS	≤ 2 U	≤ 2 U	≤ 2 U	7.8 J	≤ 2 U	2.6 J
PFHxA	≤ 2 U	≤ 2 U	≤ 2 U	25.7	≤ 2 U	5 J
PFNA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFOS	≤ 2 U	≤ 2 U	≤ 2 U	2.2 J	≤ 2 U	≤ 2 U
PFOA	≤ 2 U	≤ 2 U	≤ 2 U	4.2 J	≤ 2 U	≤ 2 U
PFTeDA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFTTrDA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFUnA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA92932-8	FA92932-9	FA92932-10	FA92932-11	FA92932-12	FA92932-21
Sample Date (YYYYMMDD)	20220202	20220202	20220202	20220202	20220202	20220202
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 4 U	≤ 4 U	≤ 4.2 U	7.5 J	≤ 4 U	≤ 4 U
8:2FTS	≤ 4 U	≤ 4 U	≤ 4.2 U	≤ 4 U	≤ 4 U	≤ 4 U
NEtFOSA	≤ 4 U	≤ 4 U	≤ 4.2 U	≤ 4 U	≤ 4 U	≤ 4 U
NMeFOSAA	≤ 4 U	≤ 4 U	≤ 4.2 U	≤ 4 U	≤ 4 U	≤ 4 U
PFBS	≤ 2 U	≤ 2 U	≤ 2.1 U	5.6 J	≤ 2 U	≤ 2 U
PFDA	≤ 2 U	≤ 2 U	≤ 2.1 U	≤ 2 U	≤ 2 U	≤ 2 U
PFDoA	≤ 2 U	≤ 2 U	≤ 2.1 U	≤ 2 U	≤ 2 U	≤ 2 U
PFHpA	≤ 2 U	≤ 2 U	≤ 2.1 U	15.2	≤ 2 U	≤ 2 U
PFHxS	≤ 2 U	4 J	≤ 2.1 U	36.6	≤ 2 U	≤ 2 U
PFHxA	≤ 2 U	13.4	≤ 2.1 U	74.2	≤ 2 U	≤ 2 U
PFNA	≤ 2 U	≤ 2 U	≤ 2.1 U	≤ 2 U	≤ 2 U	≤ 2 U
PFOS	≤ 2 U	≤ 2 U	≤ 2.1 U	7.1 J	≤ 2 U	≤ 2 U
PFOA	≤ 2 U	≤ 2 U	≤ 2.1 U	16.4	≤ 2 U	≤ 2 U
PFTeDA	≤ 2 U	≤ 2 U	≤ 2.1 U	≤ 2 U	≤ 2 U	≤ 2 U
PFTrDA	≤ 2 U	≤ 2 U	≤ 2.1 U	≤ 2 U	≤ 2 U	≤ 2 U
PFUnA	≤ 2 U	≤ 2 U	≤ 2.1 U	≤ 2 U	≤ 2 U	≤ 2 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA92932-22	FA92932-23	FA92932-24	FA92967-4	FA92967-5	FA92967-17
Sample Date (YYYYMMDD)	20220202	20220202	20220202	20220203	20220203	20220203
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
8:2FTS	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
NEtFOSA	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
NMeFOSAA	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
PFBS	≤ 2 U	≤ 2 U	≤ 2 U	4.9 J	≤ 2.1 U	≤ 2.1 U
PFDA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFDoA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFHpA	≤ 2 U	≤ 2 U	≤ 2 U	8.5	≤ 2.1 U	≤ 2.1 U
PFHxS	≤ 2 U	≤ 2 U	≤ 2 U	23.4	≤ 2.1 U	≤ 2.1 U
PFHxA	≤ 2 U	3.8 J	≤ 2 U	36.1	≤ 2.1 U	≤ 2.1 U
PFNA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFOS	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFOA	≤ 2 U	≤ 2 U	≤ 2 U	8.3	≤ 2.1 U	≤ 2.1 U
PFTeDA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFTTrDA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFUnA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA92967-27	FA92967-6	FA92967-7	FA92967-8	FA92967-9	FA92967-10
Sample Date (YYYYMMDD)	20220203	20220203	20220203	20220203	20220203	20220203
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 4.2 U	≤ 4.5 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
8:2FTS	≤ 4.2 U	≤ 4.5 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
NEtFOSA	≤ 4.2 U	≤ 4.5 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
NMeFOSAA	≤ 4.2 U	≤ 4.5 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
PFBS	≤ 2.1 U	≤ 2.3 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	5 J
PFDA	≤ 2.1 U	≤ 2.3 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFDoA	≤ 2.1 U	≤ 2.3 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFHpA	≤ 2.1 U	≤ 2.3 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	8.7
PFHxS	≤ 2.1 U	≤ 2.3 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	23.9
PFHxA	≤ 2.1 U	≤ 2.3 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	36.1
PFNA	≤ 2.1 U	≤ 2.3 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFOS	≤ 2.1 U	≤ 2.3 U	≤ 2.1 U	2.3 J	≤ 2.1 U	3 J
PFOA	≤ 2.1 U	≤ 2.3 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	8.1 J
PFTeDA	≤ 2.1 U	≤ 2.3 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFTTrDA	≤ 2.1 U	≤ 2.3 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFUnA	≤ 2.1 U	≤ 2.3 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA92967-11	FA92967-12	FA92967-18	FA92967-28	FA92967-29	FA92967-19
Sample Date (YYYYMMDD)	20220203	20220203	20220203	20220203	20220203	20220203
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
8:2FTS	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
NEtFOSA	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
NMeFOSAA	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
PFBS	≤ 2.1 U	16.5	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFDoA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFHpA	≤ 2.1 U	19.5	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFHxS	≤ 2.1 U	72.2	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFHxA	≤ 2.1 U	80.6	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFNA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFOS	≤ 2.1 U	6.1 J	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFOA	≤ 2.1 U	21.9	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFTeDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFTTrDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFUnA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA92967-20	FA92967-21	FA92967-22	FA92967-23	FA92967-24	FA92979-5
Sample Date (YYYYMMDD)	20220203	20220203	20220203	20220203	20220203	20220204
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 3.1 U
8:2FTS	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 3.1 U
NEtFOSA	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 3.1 U
NMeFOSAA	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 3.1 U
PFBS	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	10.4	≤ 2.1 U	≤ 1.6 U
PFDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 1.6 U
PFDoA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 1.6 U
PFHpA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	15.1	≤ 2.1 U	≤ 1.6 U
PFHxS	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	36.4	≤ 2.1 U	≤ 1.6 U
PFHxA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	54.2	4.7 J	≤ 1.6 U
PFNA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 1.6 U
PFOS	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	9.8	≤ 2.1 U	≤ 1.6 U
PFOA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	14.1	≤ 2.1 U	≤ 1.6 U
PFTeDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 1.6 U
PFTTrDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 1.6 U
PFUnA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 1.6 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA92979-6	FA92979-7	FA92979-8	FA92979-9	FA92979-10	FA92979-11
Sample Date (YYYYMMDD)	20220204	20220204	20220204	20220204	20220204	20220204
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4.3 U	≤ 4 U
8:2FTS	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4.3 U	≤ 4 U
NEtFOSA	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4.3 U	≤ 4 U
NMeFOSAA	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4.3 U	≤ 4 U
PFBS	≤ 2 U	≤ 2 U	2.3 J	≤ 2 U	≤ 2.2 U	≤ 2 U
PFDA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2.2 U	≤ 2 U
PFDoA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2.2 U	≤ 2 U
PFHpA	≤ 2 U	≤ 2 U	5.8 J	≤ 2 U	≤ 2.2 U	≤ 2 U
PFHxS	≤ 2 U	≤ 2 U	20.7	≤ 2 U	≤ 2.2 U	≤ 2 U
PFHxA	≤ 2 U	≤ 2 U	13.7	≤ 2 U	≤ 2.2 U	≤ 2 U
PFNA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2.2 U	≤ 2 U
PFOS	≤ 2 U	≤ 2 U	5.9 J	≤ 2 U	≤ 2.2 U	≤ 2 U
PFOA	≤ 2 U	≤ 2 U	6.3 J	≤ 2 U	≤ 2.2 U	≤ 2 U
PFTeDA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2.2 U	≤ 2 U
PFTTrDA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2.2 U	≤ 2 U
PFUnA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2.2 U	≤ 2 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA92979-12	FA92979-17	FA92979-18	FA92979-19	FA92979-20	FA92979-21
Sample Date (YYYYMMDD)	20220204	20220204	20220204	20220204	20220204	20220204
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 3.1 U	≤ 4 U	≤ 3.3 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
8:2FTS	≤ 3.1 U	≤ 4 U	≤ 3.3 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NEtFOSA	≤ 3.1 U	≤ 4 U	≤ 3.3 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NMeFOSAA	≤ 3.1 U	≤ 4 U	≤ 3.3 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
PFBS	≤ 1.6 U	≤ 2 U	≤ 1.7 U	≤ 1.6 U	4.2 J	≤ 1.6 U
PFDA	≤ 1.6 U	≤ 2 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFDoA	≤ 1.6 U	≤ 2 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHpA	≤ 1.6 U	≤ 2 U	≤ 1.7 U	≤ 1.6 U	4.3 J	≤ 1.6 U
PFHxS	≤ 1.6 U	≤ 2 U	≤ 1.7 U	≤ 1.6 U	6.7	≤ 1.6 U
PFHxA	≤ 1.6 U	≤ 2 U	≤ 1.7 U	≤ 1.6 U	27.7	≤ 1.6 U
PFNA	≤ 1.6 U	≤ 2 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFOS	≤ 1.6 U	≤ 2 U	≤ 1.7 U	≤ 1.6 U	1.9 J	≤ 1.6 U
PFOA	≤ 1.6 U	≤ 2 U	≤ 1.7 U	≤ 1.6 U	3 J	≤ 1.6 U
PFTeDA	≤ 1.6 U	≤ 2 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFTTrDA	≤ 1.6 U	≤ 2 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFUnA	≤ 1.6 U	≤ 2 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA92979-22	FA92979-23	FA92979-24	FA92979-25	FA92983-5	FA92983-6
Sample Date (YYYYMMDD)	20220204	20220204	20220204	20220204	20220205	20220205
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
8:2FTS	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NEtFOSA	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NMeFOSAA	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
PFBS	≤ 1.6 U	≤ 1.6 U	7.6	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFDoA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHpA	≤ 1.6 U	≤ 1.6 U	6.9	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHxS	≤ 1.6 U	≤ 1.6 U	15.7	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHxA	≤ 1.6 U	≤ 1.6 U	39.9	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFNA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFOS	≤ 1.6 U	≤ 1.6 U	5.1 J	≤ 1.6 U	1.6 J	≤ 1.6 U
PFOA	≤ 1.6 U	≤ 1.6 U	6.4	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFTeDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFTTrDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFUnA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA92983-7	FA92983-8	FA92983-9	FA92983-10	FA92983-17	FA92983-18
Sample Date (YYYYMMDD)	20220205	20220205	20220205	20220205	20220205	20220205
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
8:2FTS	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NEtFOSA	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NMeFOSAA	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
PFBS	4.9 J	8.6	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFDoA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHpA	4 J	6.4	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHxS	9.6	14.3	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHxA	28	48.2	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFNA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFOS	5.1 J	6.5	≤ 1.6 U	≤ 1.6 U	2 J	2.3 J
PFOA	4.4 J	6.2 J	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFTeDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFTTrDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFUnA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA92983-19	FA92983-20	FA92983-27	FA92983-28	FA92980-6	FA92980-7
Sample Date (YYYYMMDD)	20220205	20220205	20220205	20220205	20220205	20220205
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 3.3 U	≤ 3.3 U	≤ 3.3 U	≤ 3.3 U	≤ 3.1 U	≤ 3.1 U
8:2FTS	≤ 3.3 U	≤ 3.3 U	≤ 3.3 U	≤ 3.3 U	≤ 3.1 U	≤ 3.1 U
NEtFOSA	≤ 3.3 U	≤ 3.3 U	≤ 3.3 U	≤ 3.3 U	≤ 3.1 U	≤ 3.1 U
NMeFOSAA	≤ 3.3 U	≤ 3.3 U	≤ 3.3 U	≤ 3.3 U	≤ 3.1 U	≤ 3.1 U
PFBS	6.7	≤ 1.7 U	5.7 J	≤ 1.7 U	2.8 J	≤ 1.6 U
PFDA	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U
PFDoA	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U
PFHpA	3.8 J	≤ 1.7 U	3.3 J	≤ 1.7 U	2.6 J	≤ 1.6 U
PFHxS	7	≤ 1.7 U	6.3 J	≤ 1.7 U	11.8	≤ 1.6 U
PFHxA	39.9	≤ 1.7 U	29.8	≤ 1.7 U	10.8	≤ 1.6 U
PFNA	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U
PFOS	2.9 J	≤ 1.7 U	1.8 J	≤ 1.7 U	8	≤ 1.6 U
PFOA	2.9 J	≤ 1.7 U	2.8 J	≤ 1.7 U	3.6 J	≤ 1.6 U
PFTeDA	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U
PFTrDA	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U
PFUnA	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA92983-21	FA92983-29	FA92983-22	FA92983-30	FA92980-9	FA92980-10
Sample Date (YYYYMMDD)	20220205	20220205	20220205	20220205	20220205	20220205
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 3.3 U	≤ 3.3 U	≤ 3.3 U	≤ 3.3 U	≤ 3.3 U	≤ 3.1 U
8:2FTS	≤ 3.3 U	≤ 3.3 U	≤ 3.3 U	≤ 3.3 U	≤ 3.3 U	≤ 3.1 U
NEtFOSA	≤ 3.3 U	≤ 3.3 U	≤ 3.3 U	≤ 3.3 U	≤ 3.3 U	≤ 3.1 U
NMeFOSAA	≤ 3.3 U	≤ 3.3 U	≤ 3.3 U	≤ 3.3 U	≤ 3.3 U	≤ 3.1 U
PFBS	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.6 U
PFDA	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.6 U
PFDoA	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.6 U
PFHpA	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.6 U
PFHxS	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.6 U
PFHxA	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.6 U
PFNA	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.6 U
PFOS	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.6 U
PFOA	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.6 U
PFTeDA	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.6 U
PFTTrDA	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.6 U
PFUnA	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.7 U	≤ 1.6 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency’s (EPA’s) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA92983-11	FA92983-23	FA92983-12	FA92983-24	FA92980-11	FA92980-12
Sample Date (YYYYMMDD)	20220205	20220205	20220205	20220205	20220205	20220205
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 3.1 U	≤ 3.3 U	≤ 3.1 U	≤ 3.3 U	≤ 3.1 U	≤ 3.1 U
8:2FTS	≤ 3.1 U	≤ 3.3 U	≤ 3.1 U	≤ 3.3 U	≤ 3.1 U	≤ 3.1 U
NEtFOSA	≤ 3.1 U	≤ 3.3 U	≤ 3.1 U	≤ 3.3 U	≤ 3.1 U	≤ 3.1 U
NMeFOSAA	≤ 3.1 U	≤ 3.3 U	≤ 3.1 U	≤ 3.3 U	≤ 3.1 U	≤ 3.1 U
PFBS	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U
PFDA	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U
PFDoA	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U
PFHpA	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U
PFHxS	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U
PFHxA	7.8	2.8 J	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U
PFNA	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U
PFOS	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.7 U	1.7 J	2.4 J
PFOA	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U
PFTeDA	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U
PFTTrDA	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U
PFUnA	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA92980-4	FA92980-5	FA92981-5	FA92980-17	FA92980-18	FA92980-19
Sample Date (YYYYMMDD)	20220206	20220206	20220206	20220206	20220206	20220206
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 3.1 U	≤ 3.1 U	≤ 3.3 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
8:2FTS	≤ 3.1 U	≤ 3.1 U	≤ 3.3 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NEtFOSA	≤ 3.1 U	≤ 3.1 U	≤ 3.3 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NMeFOSAA	≤ 3.1 U	≤ 3.1 U	≤ 3.3 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
PFBS	≤ 1.6 U	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFDA	≤ 1.6 U	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFDoA	≤ 1.6 U	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHpA	≤ 1.6 U	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHxS	2.1 J	≤ 1.6 U	≤ 1.7 U	3.1 J	≤ 1.6 U	≤ 1.6 U
PFHxA	2.8 J	≤ 1.6 U	3.8 J	4.4 J	≤ 1.6 U	≤ 1.6 U
PFNA	≤ 1.6 U	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFOS	≤ 1.6 U	≤ 1.6 U	1.9 J	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFOA	≤ 1.6 U	≤ 1.6 U	≤ 1.7 U	1.7 J	≤ 1.6 U	≤ 1.6 U
PFTeDA	≤ 1.6 U	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFTTrDA	≤ 1.6 U	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFUnA	≤ 1.6 U	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA92980-20	FA92980-29	FA92980-30	FA92980-31	FA92980-32	FA92980-8
Sample Date (YYYYMMDD)	20220206	20220206	20220206	20220206	20220206	20220206
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
8:2FTS	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NEtFOSA	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NMeFOSAA	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
PFBS	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	5.4 J	≤ 1.6 U	≤ 1.6 U
PFDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFDoA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHpA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	5.1 J	≤ 1.6 U	≤ 1.6 U
PFHxS	≤ 1.6 U	2 J	≤ 1.6 U	15.4	≤ 1.6 U	≤ 1.6 U
PFHxA	≤ 1.6 U	3.3 J	≤ 1.6 U	23.7	≤ 1.6 U	≤ 1.6 U
PFNA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFOS	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	7.2	2.3 J	≤ 1.6 U
PFOA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	7.8	≤ 1.6 U	≤ 1.6 U
PFTeDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFTTrDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFUnA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency’s (EPA’s) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA92980-21	FA92980-22	FA92980-33	FA92980-34	FA92980-35	FA92980-23
Sample Date (YYYYMMDD)	20220206	20220206	20220206	20220206	20220206	20220206
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
8:2FTS	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NEtFOSA	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NMeFOSAA	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
PFBS	≤ 1.6 U	2 J	1.7 J	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFDoA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHpA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHxS	≤ 1.6 U	1.6 J	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHxA	≤ 1.6 U	7.6	6.6	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFNA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFOS	≤ 1.6 U	2.2 J	1.7 J	2.4 J	≤ 1.6 U	2.9 J
PFOA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFTeDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFTTrDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFUnA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA92980-24	FA92981-6	FA92981-7	FA92981-8	FA92981-9	FA92981-11
Sample Date (YYYYMMDD)	20220206	20220206	20220206	20220206	20220206	20220206
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
8:2FTS	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NEtFOSA	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NMeFOSAA	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
PFBS	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFDoA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHpA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHxS	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHxA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	3.7 J	≤ 1.6 U	≤ 1.6 U
PFNA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFOS	≤ 1.6 U	≤ 1.6 U	1.8 J	1.9 J	1.7 J	≤ 1.6 U
PFOA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFTeDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFTTrDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFUnA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency’s (EPA’s) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA92981-12	FA92981-4	FA92981-17	FA92981-27	FA92981-18	FA92981-19
Sample Date (YYYYMMDD)	20220206	20220207	20220207	20220207	20220207	20220207
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
8:2FTS	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NEtFOSA	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NMeFOSAA	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
PFBS	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFDoA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHpA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHxS	≤ 1.6 U	3.2 J	1.7 J	≤ 1.6 U	3.1 J	≤ 1.6 U
PFHxA	≤ 1.6 U	3.1 J	≤ 1.6 U	≤ 1.6 U	3.2 J	≤ 1.6 U
PFNA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFOS	≤ 1.6 U	2 J	≤ 1.6 U	≤ 1.6 U	2.2 J	≤ 1.6 U
PFOA	≤ 1.6 U	1.7 J	≤ 1.6 U	≤ 1.6 U	1.7 J	≤ 1.6 U
PFTeDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFTTrDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFUnA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency’s (EPA’s) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA92981-28	FA92981-29	FA92981-10	FA92981-20	FA92981-21	FA92981-22
Sample Date (YYYYMMDD)	20220207	20220207	20220207	20220207	20220207	20220207
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
8:2FTS	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NEtFOSA	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NMeFOSAA	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
PFBS	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFDoA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHpA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHxS	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHxA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFNA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFOS	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFOA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFTeDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFTTrDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFUnA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency’s (EPA’s) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA92981-23	FA92981-24	FA93142-2R	FA93142-3R	FA93142-4R	FA93142-5
Sample Date (YYYYMMDD)	20220207	20220207	20220209	20220209	20220209	20220209
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.3 U
8:2FTS	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.3 U
NEtFOSA	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.3 U
NMeFOSAA	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.3 U
PFBS	1.9 J	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	23.9
PFDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.7 U
PFDoA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.7 U
PFHpA	2.5 J	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	25.6
PFHxS	18.1	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	108
PFHxA	7.1	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	97.2
PFNA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.7 U
PFOS	8.6	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	47
PFOA	6.1 J	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	27.3
PFTeDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.7 U
PFTTrDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.7 U
PFUnA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.7 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA93143-6	FA93143-7	FA93142-16	FA93142-17	FA93142-6	FA93142-18
Sample Date (YYYYMMDD)	20220209	20220209	20220209	20220209	20220209	20220209
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 4 U	≤ 4 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
8:2FTS	≤ 4 U	≤ 4 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NEtFOSA	≤ 4 U	≤ 4 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NMeFOSAA	≤ 4 U	≤ 4 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
PFBS	≤ 2 U	≤ 2 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFDA	≤ 2 U	≤ 2 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFDoA	≤ 2 U	≤ 2 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHpA	≤ 2 U	≤ 2 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHxS	≤ 2 U	≤ 2 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHxA	≤ 2 U	≤ 2 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFNA	≤ 2 U	≤ 2 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFOS	≤ 2 U	≤ 2 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFOA	≤ 2 U	≤ 2 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFTeDA	≤ 2 U	≤ 2 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFTTrDA	≤ 2 U	≤ 2 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFUnA	≤ 2 U	≤ 2 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA93142-19	FA93142-20	FA93142-21	FA93142-22	FA93143-8	FA93143-9
Sample Date (YYYYMMDD)	20220209	20220209	20220209	20220209	20220209	20220209
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 4 U	≤ 3.1 U
8:2FTS	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 4 U	≤ 3.1 U
NEtFOSA	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 4 U	≤ 3.1 U
NMeFOSAA	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 4 U	≤ 3.1 U
PFBS	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	10	≤ 1.6 U
PFDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 2 U	≤ 1.6 U
PFDoA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 2 U	≤ 1.6 U
PFHpA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 2 U	≤ 1.6 U
PFHxS	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	8.4	≤ 1.6 U
PFHxA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	31.6	≤ 1.6 U
PFNA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 2 U	≤ 1.6 U
PFOS	≤ 1.6 U	1.8 J	≤ 1.6 U	≤ 1.6 U	≤ 2 U	≤ 1.6 U
PFOA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 2 U	≤ 1.6 U
PFTeDA	≤ 7.8 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 2 U	≤ 1.6 U
PFTTrDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 2 U	≤ 1.6 U
PFUnA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 2 U	≤ 1.6 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA93142-7	FA93142-8	FA93142-9	FA93142-10	FA93142-11	FA93142-12
Sample Date (YYYYMMDD)	20220209	20220209	20220209	20220209	20220209	20220209
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 3.1 U	≤ 3.1 U	≤ 3.3 U	≤ 3.1 U	3.8 J	≤ 3.1 U
8:2FTS	≤ 3.1 U	≤ 3.1 U	≤ 3.3 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NEtFOSA	≤ 3.1 U	≤ 3.1 U	≤ 3.3 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NMeFOSAA	≤ 3.1 U	≤ 3.1 U	≤ 3.3 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
PFBS	10	≤ 1.6 U	24.6	≤ 1.6 U	4.4 J	≤ 1.6 U
PFDA	≤ 1.6 U	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFDoA	≤ 1.6 U	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHpA	16.3	≤ 1.6 U	26.1	≤ 1.6 U	6.6	≤ 1.6 U
PFHxS	74.1	≤ 1.6 U	104	≤ 1.6 U	31.1	≤ 1.6 U
PFHxA	54.6	≤ 1.6 U	99.1	≤ 1.6 U	27.2	≤ 1.6 U
PFNA	≤ 1.6 U	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFOS	34.6	≤ 1.6 U	46	≤ 1.6 U	22.2	≤ 1.6 U
PFOA	27.3	≤ 1.6 U	26.6	≤ 1.6 U	14	≤ 1.6 U
PFTeDA	≤ 7.8 U	≤ 7.8 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFTrDA	≤ 1.6 U	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFUnA	≤ 1.6 U	≤ 1.6 U	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA93143-4	FA93143-5	FA93143-27	FA93143-28	FA93143-10	FA93143-11
Sample Date (YYYYMMDD)	20220210	20220210	20220210	20220210	20220210	20220210
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 4 U	≤ 4 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
8:2FTS	≤ 4 U	≤ 4 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NEtFOSA	≤ 4 U	≤ 4 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NMeFOSAA	≤ 4 U	≤ 4 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
PFBS	28.3	29.2	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFDA	≤ 2 U	≤ 2 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFDoA	≤ 2 U	≤ 2 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHpA	≤ 2 U	≤ 2 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHxS	13.7	14.3	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHxA	56.4	56.6	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFNA	≤ 2 U	≤ 2 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFOS	≤ 2 U	≤ 2 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFOA	4 J	4 J	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFTeDA	≤ 2 U	≤ 2 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFTTrDA	≤ 2 U	≤ 2 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFUnA	≤ 2 U	≤ 2 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA93143-17	FA93143-29	FA93143-18	FA93143-19	FA93143-20	FA93143-21
Sample Date (YYYYMMDD)	20220210	20220210	20220210	20220210	20220210	20220210
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
8:2FTS	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NEtFOSA	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NMeFOSAA	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
PFBS	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFDoA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHpA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHxS	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHxA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFNA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFOS	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFOA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFTeDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFTTrDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFUnA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency’s (EPA’s) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA93143-22	FA93143-12	FA93143-23	FA93143-24	FA93189-1R	FA93189-5R
Sample Date (YYYYMMDD)	20220210	20220210	20220210	20220210	20220211	20220211
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
8:2FTS	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NEtFOSA	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NMeFOSAA	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
PFBS	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFDoA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHpA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHxS	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHxA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFNA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFOS	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFOA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFTeDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFTTrDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFUnA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency’s (EPA’s) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA93189-6	FA93189-7	FA93189-8	FA93189-9	FA93189-10	FA93189-11
Sample Date (YYYYMMDD)	20220211	20220211	20220211	20220211	20220211	20220211
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
8:2FTS	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NEtFOSA	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NMeFOSAA	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
PFBS	≤ 1.6 U	4.2 J	5.7 J	9.2	≤ 1.6 U	4.7 J
PFDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFDoA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHpA	≤ 1.6 U	3.9 J	3.3 J	5.1 J	≤ 1.6 U	≤ 1.6 U
PFHxS	≤ 1.6 U	35.9	14.3	41.9	≤ 1.6 U	≤ 1.6 U
PFHxA	≤ 1.6 U	10.3	5.9 J	12	≤ 1.6 U	3.9 J
PFNA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFOS	≤ 1.6 U	27	11.4	14.2	≤ 1.6 U	1.8 J
PFOA	≤ 1.6 U	9	9.5	8.2	≤ 1.6 U	≤ 1.6 U
PFTeDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFTrDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFUnA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA93189-21	FA93189-22	FA93189-12	FA93221-13R	FA93221-25R	FA93221-5R
Sample Date (YYYYMMDD)	20220211	20220211	20220211	20220212	20220212	20220212
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
8:2FTS	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NEtFOSA	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NMeFOSAA	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
PFBS	≤ 1.6 U	≤ 1.6 U	8.2	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFDoA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHpA	≤ 1.6 U	≤ 1.6 U	15.2	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHxS	≤ 1.6 U	≤ 1.6 U	66.5	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHxA	≤ 1.6 U	≤ 1.6 U	32.2	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFNA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFOS	≤ 1.6 U	≤ 1.6 U	30.8	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFOA	≤ 1.6 U	≤ 1.6 U	21.3	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFTeDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFTTrDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFUnA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency’s (EPA’s) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA93189-18	FA93221-6	FA93189-19	FA93221-7	FA93221-8	FA93221-9
Sample Date (YYYYMMDD)	20220212	20220212	20220212	20220212	20220212	20220212
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
8:2FTS	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NEtFOSA	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NMeFOSAA	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
PFBS	≤ 1.6 U	5.8 J	≤ 1.6 U	5.8 J	4.5 J	5.5 J
PFDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFDoA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHpA	2 J	9.1	1.9 J	7.7	5.5 J	7.5
PFHxS	14.4	57.9	13.7	48.3	37.3	43.5
PFHxA	5.8 J	31.6	5.7 J	28	19.8	24.9
PFNA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFOS	3 J	22.8	2.7 J	16.6	12.8	15.7
PFOA	3 J	19	2.9 J	13.4	10.7	15.8
PFTeDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFTTrDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFUnA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA93221-10	FA93189-20	FA93221-27	FA93221-11	FA93221-19	FA93221-20
Sample Date (YYYYMMDD)	20220212	20220212	20220212	20220212	20220212	20220212
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 3.3 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
8:2FTS	≤ 3.3 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NEtFOSA	≤ 3.3 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NMeFOSAA	≤ 3.3 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
PFBS	5.8 J	4.4 J	6.3	4.2 J	4.2 J	5.6 J
PFDA	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFDoA	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHpA	9.5	7.1	5.1 J	5.5 J	4.9 J	3 J
PFHxS	60.5	30.6	48.2	30	31.7	15.7
PFHxA	33.2	17.1	17.3	17.9	15.4	9.8
PFNA	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFOS	25.8	12.9	21.4	13.4	13.1	10.7
PFOA	20.1	18.5	14.1	12.8	12.6	10.4
PFTeDA	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFTTrDA	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFUnA	≤ 1.7 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA93221-21	FA93221-22	FA93221-23	FA93221-12	FA93221-24	FA93195-1R
Sample Date (YYYYMMDD)	20220212	20220212	20220212	20220212	20220212	20220213
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
8:2FTS	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NEtFOSA	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
NMeFOSAA	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U	≤ 3.1 U
PFBS	3.8 J	≤ 1.6 U	3.2 J	2 J	≤ 1.6 U	≤ 1.6 U
PFDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFDoA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFHpA	6 J	≤ 1.6 U	7.2	2.8 J	≤ 1.6 U	≤ 1.6 U
PFHxS	22.4	≤ 1.6 U	35.8	36.9	≤ 1.6 U	≤ 1.6 U
PFHxA	14.9	≤ 1.6 U	16.7	8.7	≤ 1.6 U	≤ 1.6 U
PFNA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFOS	15.3	≤ 1.6 U	20.8	22.8	2.2 J	≤ 1.6 U
PFOA	14.5	≤ 1.6 U	11.1	13.5	1.9 J	≤ 1.6 U
PFTeDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFTTrDA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U
PFUnA	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U	≤ 1.6 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA93195-2R	FA93195-3R	FA93195-4R	FA93195-18R	FA93195-6	FA93195-19
Sample Date (YYYYMMDD)	20220213	20220213	20220213	20220213	20220213	20220213
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 4.2 U	≤ 3.1 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
8:2FTS	≤ 4.2 U	≤ 3.1 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
NEtFOSA	≤ 4.2 U	≤ 3.1 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
NMeFOSAA	≤ 4.2 U	≤ 3.1 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
PFBS	≤ 2.1 U	≤ 1.6 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	4.6 J
PFDA	≤ 2.1 U	≤ 1.6 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFDoA	≤ 2.1 U	≤ 1.6 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFHpA	≤ 2.1 U	≤ 1.6 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	6.4 J
PFHxS	≤ 2.1 U	≤ 1.6 U	≤ 2.1 U	≤ 2.1 U	5.5 J	16.4
PFHxA	≤ 2.1 U	≤ 1.6 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	12.5
PFNA	≤ 2.1 U	≤ 1.6 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFOS	≤ 2.1 U	≤ 1.6 U	≤ 2.1 U	≤ 2.1 U	25.5	6.7 J
PFOA	≤ 2.1 U	≤ 1.6 U	≤ 2.1 U	≤ 2.1 U	2.6 J	6.3 J
PFTeDA	≤ 2.1 U	≤ 1.6 U	≤ 2.1 U	≤ 2.1 U	≤ 10 U	≤ 2.1 U
PFTTrDA	≤ 2.1 U	≤ 1.6 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFUnA	≤ 2.1 U	≤ 1.6 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA93195-20	FA93195-7	FA93195-21	FA93195-8	FA93195-28	FA93195-29
Sample Date (YYYYMMDD)	20220213	20220213	20220213	20220213	20220213	20220213
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 4.2 U	≤ 3.1 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
8:2FTS	≤ 4.2 U	≤ 3.1 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
NEtFOSA	≤ 4.2 U	≤ 3.1 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
NMeFOSAA	≤ 4.2 U	≤ 3.1 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
PFBS	2.7 J	11.3	3.2 J	8.5	≤ 2.1 U	≤ 2.1 U
PFDA	≤ 2.1 U	≤ 1.6 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFDoA	≤ 2.1 U	≤ 1.6 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFHpA	≤ 2.1 U	22.8	≤ 2.1 U	15.6	≤ 2.1 U	≤ 2.1 U
PFHxS	2.6 J	90.2	3.8 J	70	≤ 2.1 U	≤ 2.1 U
PFHxA	≤ 2.1 U	51.4	≤ 2.1 U	34.6	≤ 2.1 U	≤ 2.1 U
PFNA	≤ 2.1 U	≤ 1.6 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFOS	2.3 J	33.4	2.9 J	31.3	≤ 2.1 U	≤ 2.1 U
PFOA	≤ 2.1 U	29.1	≤ 2.1 U	20.8	≤ 2.1 U	≤ 2.1 U
PFTeDA	≤ 2.1 U	≤ 1.6 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFTrDA	≤ 2.1 U	≤ 1.6 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFUnA	≤ 2.1 U	≤ 1.6 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA93195-9	FA93195-10	FA93195-22	FA93195-11	FA93195-23	FA93195-24
Sample Date (YYYYMMDD)	20220213	20220213	20220213	20220213	20220213	20220213
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 3.1 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
8:2FTS	≤ 3.1 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
NEtFOSA	≤ 3.1 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
NMeFOSAA	≤ 3.1 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
PFBS	9.8	12.2	≤ 2.1 U	7 J	3.8 J	8.4
PFDA	≤ 1.6 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFDoA	≤ 1.6 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 10 U
PFHpA	18.8	22	≤ 2.1 U	9.4	2.9 J	11.7
PFHxS	79.2	101	3.8 J	28.3	13.5	61.3
PFHxA	41.7	49.1	≤ 2.1 U	22.2	6.6 J	26.3
PFNA	≤ 1.6 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFOS	33.4	52.8	20.2	≤ 2.1 U	3.2 J	33
PFOA	23.6	28.7	2.1 J	7.5 J	3 J	15.6
PFTeDA	≤ 1.6 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFTTrDA	≤ 1.6 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 10 U
PFUnA	≤ 1.6 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA93195-12	FA93194-3R	FA93194-14R	FA93194-15R	FA93194-18R	FA93194-5
Sample Date (YYYYMMDD)	20220213	20220214	20220214	20220214	20220214	20220214
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
8:2FTS	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
NEtFOSA	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
NMeFOSAA	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
PFBS	7.4 J	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	6.7 J
PFDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFDoA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFHpA	11.2	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	3.7 J
PFHxS	35.2	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	49.7
PFHxA	25.3	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	14.5
PFNA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFOS	6.1 J	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	18.3
PFOA	11.8	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	13
PFTeDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFTTrDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFUnA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency’s (EPA’s) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA93194-6	FA93194-7	FA93194-8	FA93194-9	FA93194-10	FA93194-11
Sample Date (YYYYMMDD)	20220214	20220214	20220214	20220214	20220214	20220214
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
8:2FTS	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
NEtFOSA	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
NMeFOSAA	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
PFBS	10.9	4.9 J	11.4	6.8 J	20	≤ 2.1 U
PFDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFDoA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFHpA	9.5	9.2	2.1 J	4 J	13	≤ 2.1 U
PFHxS	81.8	34.3	16.9	51.2	131	9.1
PFHxA	31.2	25.6	6.6 J	14.7	50.6	2.9 J
PFNA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFOS	40.4	19.7	8.8	20.2	31.7	4.2 J
PFOA	25.1	6.7 J	5.5 J	13.5	28.4	3 J
PFTeDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFTTrDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFUnA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA93194-19	FA93194-20	FA93194-12	FA93194-21	FA93194-22	FA93194-23
Sample Date (YYYYMMDD)	20220214	20220214	20220214	20220214	20220214	20220214
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
8:2FTS	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
NEtFOSA	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
NMeFOSAA	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
PFBS	8 J	8.3	12.2	≤ 2.1 U	5.4 J	3.1 J
PFDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFDoA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFHpA	5.2 J	6.3 J	10.5	≤ 2.1 U	9.8	≤ 2.1 U
PFHxS	45	64.2	97.7	≤ 2.1 U	38	28.9
PFHxA	16.6	22.6	35.9	≤ 2.1 U	29.6	4.4 J
PFNA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFOS	16.6	26.9	46.6	≤ 2.1 U	19.8	40.3
PFOA	14.6	16.8	28.1	≤ 2.1 U	7.4 J	3.1 J
PFTeDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFTTrDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFUnA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA93194-24	FA93245-13R	FA93245-2R	FA93245-5R	FA93245-15R	FA93245-7
Sample Date (YYYYMMDD)	20220214	20220215	20220215	20220215	20220215	20220215
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	7 J
8:2FTS	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4 U
NEtFOSA	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4 U
NMeFOSAA	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4 U
PFBS	4 J	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2 U
PFDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2 U
PFDoA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2 U
PFHpA	3.4 J	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2 U
PFHxS	20.7	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	3.9 J
PFHxA	5.6 J	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2 U
PFNA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2 U
PFOS	15.9	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2 U
PFOA	8.1 J	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2 U
PFTeDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2 U
PFTTrDA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2 U
PFUnA	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA93245-19	FA93245-20	FA93245-8	FA93245-9	FA93245-10	FA93245-11
Sample Date (YYYYMMDD)	20220215	20220215	20220215	20220215	20220215	20220215
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 4 U	≤ 4 U	7.6 J	≤ 4 U	≤ 4 U	≤ 4 U
8:2FTS	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U
NEtFOSA	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U
NMeFOSAA	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U
PFBS	20.2	≤ 2 U	4.8 J	≤ 2 U	3.8 J	5.6 J
PFDA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFDoA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFHpA	9.5	≤ 2 U	11.9	≤ 2 U	6.3 J	12
PFHxS	98.2	≤ 2 U	52	8.4	28.2	50.1
PFHxA	26.7	≤ 2 U	25	3.9 J	13	26.6
PFNA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFOS	31.2	≤ 2 U	31.5	5.9 J	19.8	32.9
PFOA	21.7	≤ 2 U	16	2.8 J	9.1	16.4
PFTeDA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFTTrDA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFUnA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA93245-21	FA93245-22	FA93245-12	FA93245-23	FA93245-24	FA93245-26
Sample Date (YYYYMMDD)	20220215	20220215	20220215	20220215	20220215	20220215
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 4 U	≤ 4 U	≤ 4 U	4.3 J	≤ 4 U	≤ 4 U
8:2FTS	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U
NEtFOSA	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U
NMeFOSAA	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U
PFBS	15.2	≤ 2 U	2.1 J	≤ 2 U	≤ 2 U	≤ 2 U
PFDA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFDoA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFHpA	10.3	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFHxS	18.1	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFHxA	36.6	≤ 2 U	3.2 J	≤ 2 U	≤ 2 U	≤ 2 U
PFNA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFOS	23.1	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFOA	23.1	≤ 2 U	3.3 J	≤ 2 U	≤ 2 U	≤ 2 U
PFTeDA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFTTrDA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFUnA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA93248-6	FA93248-7	FA93248-8	FA93248-15	FA93248-9	FA93248-10
Sample Date (YYYYMMDD)	20220216	20220216	20220216	20220216	20220216	20220216
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U
8:2FTS	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U
NEtFOSA	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U
NMeFOSAA	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U
PFBS	≤ 2 U	2.7 J	≤ 2 U	6.6 J	≤ 2 U	≤ 2 U
PFDA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFDoA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFHpA	≤ 2 U	≤ 2 U	≤ 2 U	3.6 J	≤ 2 U	≤ 2 U
PFHxS	≤ 2 U	2.5 J	≤ 2 U	28	≤ 2 U	3.1 J
PFHxA	≤ 2 U	2.2 J	≤ 2 U	7.7 J	≤ 2 U	≤ 2 U
PFNA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFOS	≤ 2 U	2.5 J	2.2 J	15.4	≤ 2 U	≤ 2 U
PFOA	≤ 2 U	2.2 J	2.1 J	6.2 J	≤ 2 U	≤ 2 U
PFTeDA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFTTrDA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFUnA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA93248-11	FA93248-12	FA93307-13R	FA93307-3R	FA93308-3	FA93308-4
Sample Date (YYYYMMDD)	20220216	20220216	20220217	20220217	20220217	20220217
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U
8:2FTS	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U
NEtFOSA	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U
NMeFOSAA	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U
PFBS	≤ 2 U	3.1 J	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFDA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFDoA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFHpA	≤ 2 U	2.1 J	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFHxS	≤ 2 U	10.6	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFHxA	≤ 2 U	5.1 J	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFNA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFOS	≤ 2 U	2.6 J	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFOA	≤ 2 U	2.2 J	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFTeDA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFTTrDA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFUnA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA93308-5	FA93308-6	FA93307-6	FA93307-7	FA93307-8	FA93307-9
Sample Date (YYYYMMDD)	20220217	20220217	20220217	20220217	20220217	20220217
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	15.1 J	≤ 4 U
8:2FTS	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U
NEtFOSA	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U
NMeFOSAA	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U
PFBS	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	17.6	5.8 J
PFDA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFDoA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFHpA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	9.4	5.6 J
PFHxS	≤ 2 U	≤ 2 U	≤ 2 U	8.7	104	51.2
PFHxA	≤ 2 U	≤ 2 U	≤ 2 U	3.1 J	42.3	15
PFNA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFOS	≤ 2 U	≤ 2 U	≤ 2 U	8.5	18.2	28.8
PFOA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	8.1	19.2
PFTeDA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFTTrDA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFUnA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)						
Laboratory Sample ID	FA93307-17	FA93307-18	FA93307-10	FA93307-11	FA93307-19	FA93307-12
Sample Date (YYYYMMDD)	20220217	20220217	20220217	20220217	20220217	20220217
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U
8:2FTS	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U
NEtFOSA	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U
NMeFOSAA	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U	≤ 4 U
PFBS	3.3 J	2.2 J	28.2	5.5 J	≤ 2 U	≤ 2 U
PFDA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFDoA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFHpA	2.5 J	≤ 2 U	12.5	3.2 J	≤ 2 U	≤ 2 U
PFHxS	32.8	8.6	115	25.5	≤ 2 U	6.4 J
PFHxA	6.2 J	2.1 J	38.1	7.6 J	≤ 2 U	2.9 J
PFNA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFOS	23.3	9.7	22.3	10.2	≤ 2 U	≤ 2 U
PFOA	4.1 J	3.1 J	25.2	5.8 J	≤ 2 U	≤ 2 U
PFTeDA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFTTrDA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U
PFUnA	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U	≤ 2 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.

Fairchild AFB Results reported in parts per trillion (ppt)					
Laboratory Sample ID	FA94248-1R	FA94248-2R	FA94248-3	FA94248-4	FA94248-5
Sample Date (YYYYMMDD)	20220323	20220323	20220323	20220323	20220323
Analysis Method	QSM B-15	QSM B-15	QSM B-15	QSM B-15	QSM B-15
Units	ppt	ppt	ppt	ppt	ppt
6:2FTS	≤ 4.4 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
8:2FTS	≤ 4.4 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
NEtFOSA	≤ 4.4 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
NMeFOSAA	≤ 4.4 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U	≤ 4.2 U
PFBS	≤ 2.2 U	≤ 2.1 U	9.2	9.9	10.3
PFDA	≤ 2.2 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFDoA	≤ 2.2 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFHpA	≤ 2.2 U	≤ 2.1 U	7.7 J	8 J	18.7
PFHxS	≤ 2.2 U	≤ 2.1 U	65.8	70.5	85.3
PFHxA	≤ 2.2 U	≤ 2.1 U	25.4	26.4	41.9
PFNA	≤ 2.2 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFOS	≤ 2.2 U	≤ 2.1 U	31.5	40	41.5
PFOA	≤ 2.2 U	≤ 2.1 U	19.9	21.9	24.9
PFTeDA	≤ 2.2 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFTTrDA	≤ 2.2 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U
PFUnA	≤ 2.2 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U	≤ 2.1 U

Notes

Where there was individual or combined levels of PFOS and/or PFOA in drinking water above the 2016 U.S. Environmental Protection Agency's (EPA's) lifetime drinking water health advisories (HAs) resulting from DoD activities, the Department immediately took actions to address the drinking water exposure of 70 ppt.

J - The reported result was an estimate value.

U - The analyte was not detected and was reported as less than the Limit of Detection (LOD). The LOD has been adjusted for any dilution or concentration of the sample.

UJ - The analyte was not detected and was reported as less than the Limit of Detection (LOD). However, the associated numerical value is approximate.