

Using HerpMapper

Mike Pingleton

We'll Cover....

- Overview of how HerpMapper works
- Setting up an account, downloading the app
- Using the mobile app
- Using the browser interface



HerpMapper Mission:

Assist in the conservation and understanding of the world's herpetofauna by collecting and sharing data



How Does It Work?

- Observational data is collected in the field, using mobile device app, browser
- Records are created from the data and are stored in the HerpMapper database
- Research and conservation organizations access the records in the database



What Does It Cost?

- No costs to contributors or data partners
- Volunteer-driven by committed IT developers, admins, curators, advisors, and others
- Operating costs covered by grants and donations
- HerpMapper in the process of becoming a 501(c)(3) nonprofit organization



Structure and Workflow: The Front End





- Data collection by the general public, field herpers, students, data partners
- One record per herp
- Citizen Science Users agree up front to release all collected data



Structure and Workflow: The Back End





- Data Partners
- Accredited organizations doing research, education, conservation, etc.
- State herp atlases
- Partners can access data within the scope of their project
- 41 partners to date



Structure and Workflow: The Middle

- Secure database and servers
- Middleware account creation, user profiles, tools for data collection, curation, partner export
- Documentation FAQs and how-tos
- People developers, curators, advisors, media relations



Data Collection

- Records can be added:
 - Via the mobile app for Android, IOS and Windows devices
 - Via browser at www.herpmapper.org
- Records require:
 - The common or scientific name of the herp (if known)
 - Geographic coordinates
 - One or more voucher photos (and/or audio file)
- HerpMapper automagically extracts some data:
 - Date, time & GPS from embedded EXIF data in digital photos
 - Using the pinpointed locality, HM determines country /state / region / municipality



Security

- HM users can only see details of the records they enter
- General public only sees basic information and photos all specific locality data is blocked from view
- Images viewed by general public have EXIF data stripped
- Every database has administrators HM admins have super user privileges, but not for the purpose of viewing records
- Data partners only have access to the subset of records defined by the scope of their project
- Partners can ask to have certain types of records completely hidden from view
- No partners have access to all records



Getting Started

- 1. Create an account at <u>www.herpmapper.org</u>
- Get the mobile app (iOS, Android, Windows): See <u>www.herpmapper.org/mobile/mapper</u> for instructions





Using The Mobile App

- Shoot first! Take a picture of the herp before opening HerpMapper
- Select the image from your camera roll when creating the record
- Your phone's GPS is working even in airplane mode, or when you don't have cellular service
- Upload (sync) to the HM database when convenient (and connected)



Mobile App Record Creation





Set Location



- Map will not appear when data service is not available
- Still displays lat, long, and accuracy fields



Taxon Selection





Taxa Search





Taxa Search Results

●●○○○ AT&T	LTE	6:35 AM		◙ ≱ 🔲
5 Back		Search Taxa	A	Home
_				
Thamno	ophis			
	Sear	rch by Common Name		
	Se	earch by Latin Name		
Tham	nophi	s angustirostris		
Longno	ose Gar	ter Snake		
Tham	nophi	s atratus		5
Santa (Cruz Ga	rter Snake		
Tham	nophi	s atratus aquaticus		
Aquatio	c Garter	^r Snake		
Tham	nophi	s atratus atratus		
Santa (Cruz Ga	rter Snake		
Tham	nophi	s atratus hydrophilus		
Oregor	n Garter	Snake		
Tham	nophi	s atratus zaxanthus		~
Diablo	Range	Garter Snake		
Tham	nophi	s brachystoma		



Select or Take Picture



- Audio files can be selected from 'Browse files'
- Audio currently not available with iOS



Add Data

	*	465 1 5:34
Back	Additonal Info	🔒 Home
Age		
	Adult	•
Deceas	ed	
Public Notes		
Fublic Notes		
Private Notes		
I Hide th	is record from the p	ublic.
	Continue	



Ready to Save



Ocmulgee Slimy Salamander Plethodon ocmulgee

Location: 42.043398 -91.663976 Accuracy: 37 meters

Age: Adult Deceased: false Public Notes: Private Notes: Hide this record from the public.: true

Save Record



Pending Records



- 'Sync Records' uploads from your phone to the HM database (requires service)
- Pending records can be edited before syncing
- Corrections / additions to records (additional photos, notes, etc.) can also be made via browser



Edit Pending Records



Plains Garter Snake Thamnophis radix

Location: 40.120515 -88.263385 Accuracy: 65 meters

Age: Juvenile Deceased: False Public Notes: Private Notes: Hide this record from the public.: False

Edit Record



Services

••••• AT&T '		∅ ∦ 🔲
5 Back	Settings	
HerpMa	apper	
E-mail / L	Jsername:	
pingleto	@gmail.com	
API Key:		
b1c2b53	352c	
Configura	ation URL:	
http://wv	vw.herpmapper.org/mobile	
🛃 Use	e as default service.	
	Save Settings	
	Delete This Service	

- API key
- Save Settings uploads latest version, taxonomy updates, etc.



Using The Browser





My Records

HerpMapper	i≣ Speci	es List 👻 🚯 About 👻	❸ Using HerpMapper -	🖥 Donate	🌣 Tools 👻	占 Mike Pingleton 👻
My Account / My Records						
- Search options					1 -	- 25 of 5,258 records
Taxon:	Country:	Level 1:		Leve	I 2:	•
Start Observation Date:	End Observation Date:	Sort By: Create	ed	Orde	r: escending	•
 Search synonyms* * Only works when searching names spelled co 	mpletely. No partial spellings.				Clear	Reset Search
Tokay Gecko Gekko gecko gecko HM 146591		Cou Prov Dis	Intry: Thailand ince: Bangkok Metropolis trict: Lat Krabang			Observed: 2016-02-20 Created: 2016-06-06 Modified: 2016-06-06
Boie's Wart Frog Fejervarya limnocharis HM 146589		Cou Prov Dis	intry: Thailand ince: Bangkok Metropolis strict: Lat Krabang			Observed: 2016-02-20 Created: 2016-06-06 Modified: 2016-06-06
Variable Agama Calotes versicolor HM 146588		Cou Prov Dis	intry: Thailand ince: Bangkok Metropolis itrict: Lat Krabang			Observed: 2016-02-20 Created: 2016-06-06 Modified: 2016-06-06
Long-nosed Tree Snake Ahaetulla nasuta HM 146587		Cou Prov Dis	intry: Thailand ince: Bangkok Metropolis itrict: Lat Krabang			Observed: 2016-02-20 Created: 2016-06-06 Modified: 2016-06-06



My Profile



Mike Pingleton

I use antlers in all of my decorating.

Contributor since 2013



Some records may be hidden from the public



Tokay Gecko Gekko gecko gecko HM 146591

Boie's Wart Frog

HM 146589

Fejervarya limnocharis



Variable Agama Calotes versicolor HM 146588



Long-nosed Tree Snake Ahaetulla nasuta HM 146587





Eastern Garter Snake Thamnophis sirtalis sirtalis HM 146578

Eastern American Toad



Anaxyrus americanus americanus HM 146577 Midland Brown Snake

Storeria dekayi wrightorum HM 146576

Most Recorded Species

Some records may be hidden from the pl



Cottonmouth Agkistrodon piscive 224 records



Common Garter S Thamnophis sirtali 127 records



Spring Peeper Pseudacris crucife 100 records



Trachemys scripta 93 records

Ringneck Snake Diadophis punctate 90 records



Coluber constricto 84 records



Southern Leopar Lithobates spheno 81 records







Badges







Learn more about badges

Observation Metrics

Total Observations	5258
Current Year	392





Ahaetulla nasuta HM 146586



Uploading Files



Upload voucher files

Vouchers should be images or audio files of the actual animal observed (not p conservation and research organizations that use HerpMapper data.





Creating New Records





Top Portion of a Record

Observer:	Country:	Province:	District:
Pingleton, Mike	Thailand	Bangkok Metropolis	Sathorn
Species:		You can find the latitude and	longitude of a location by clicking on the m
Trachemys scripta elegan	S	Map Satellite	
Date:	Time:		
2016-02-20	01:17:34		8 3 3 C 8
Latitude:	Longitude:		
13.728749	100.542913	STATE VE	
Altitude:	Accuracy:		
-3492.00	meters		
Datum:	Coord. Source:		Part and
WGS84 v	GPS	•	ALC CONTRACT
Age:	Deceased:		1
Adult •	no	• 2000	



Bottom Portion

Additional Notes

These notes are viewable by the public. Do not put location information in these notes. If you need to

describe a location, please put it in the private notes.

Lumphini Park.

Private Notes

These notes are only viewable to you and HerpMapp these notes.

Vouchers

Vouchers should be images or audio files of the actual animal observed (not photos from other observations or Google Images). Quality voucher files are impor conservation and research organizations that use HerpMapper data.



Save Record

Copy Time and Location

Flag for Review or Deletion



HerpMapper Fringe Benefits

- Portal to the world's herpetofauna
- See what others are seeing

♀ HerpMapper	I Species Lis	t → 🚯 Using HerpMapper →
Triangle Treefrog	m Country:	Peru
Dendropsophus triangului	Department:	Loreto
HM 48598	Province:	Maynas
Crested Toad	Country:	Peru
Rhinella margaritifera	Department:	Loreto
HM 48597	Province:	Maynas
Northern Copperhead	Country:	United States
Agkistrodon contortrix mo	State:	North Carolina
HM 48596	County:	Craven
Pine Woods Treefrog	Country:	United States
Hyla femoralis	State:	North Carolina
HM 48595	County:	Craven
Western Leaf Lizard	Country:	Peru
Stenocercus fimbriatus	Department:	Loreto
HM 48594	Province:	Maynas
Banded Centipede Snak	Country:	Costa Rica
Tantilla supracincta	Province:	Limón
HM 48593	Canton:	Matina
Prairie Ringneck Snake	i Country:	United States
Diadophis punctatus arny	State:	Kansas
HM 48579	County:	Lincoln



Practice Records

- Create test records via phone, browser
- Flag record for deletion when finished
- Admins will delete



www.herpmapper.org

- Sign up
- Record creation
- FAQs
- Instructions for mobile apps
- Species lists, Partner and project lists
- Record catalog, newest on top
- User profiles
- Social Media:
 - Like us on FaceBook
 - Follow @HerpMapper on Twitter
- Email us info@herpmapper.org

